



INSTA contactor with 4 NO contacts Contact for 230 V AC, 400 V 25 A Control 230 V AC

| Model | |
|---|---|
| product brand name | SENTRON |
| product designation | Insta contactor |
| design of the product | 4 NO contacts |
| type of voltage of the operating voltage | AC |
| type of voltage of the operating voltage for actuation | AC |
| Supply voltage | |
| operating voltage rated value | |
| • minimum | 440 V |
| • maximum | 440 V |
| Protection class | |
| protection class IP | IP20 |
| Switching capacity | |
| switching capacity active power with incandescent lamp load | 2 000 W |
| Dissipation | |
| power loss [W] for rated value of the current at AC in hot operating state per pole | 2.2 W |
| Control current | |
| control supply voltage | |
| • rated value | 230 V |
| • rated value maximum | 230 V |
| Product details | |
| product component slide for manual operation | No |
| number of NC contacts | 0 |
| number of NO contacts | 4 |
| product extension installable supplementary devices | Yes |
| Connections | |
| installation or assembly note | provision must be made for spacers to ensure heat dissipation |
| Mechanical Design | |
| height | 90 mm |
| width | 36 mm |
| depth | 71 mm |
| installation depth | 0 mm |
| number of modular width units | 2 |
| net weight | 258 g |
| Environmental footprint | |
| Environmental Product Declaration (EPD) | Yes |
| Global Warming Potential [CO ₂ eq] total | 212 kg |
| Global Warming Potential [CO ₂ eq] during manufacturing | 1.36 kg |
| Global Warming Potential [CO ₂ eq] during operation | 211 kg |

global warming potential [CO2 eq] after end of life -0.106 kg

Approvals Certificates

| | |
|--------------------------|--------------------------------|
| General Product Approval | Declaration of Con- formity |
|--------------------------|--------------------------------|



[Confirmation](#)

[Miscellaneous](#)

[Miscellaneous](#)



EG-Konf.

| | | | |
|--------------------------------|-------------------|-------|-------------|
| Declaration of Con- formity | Test Certificates | other | Environment |
|--------------------------------|-------------------|-------|-------------|



[Special Test Certificate](#)

[Confirmation](#)

[Miscellaneous](#)

[Environmental Con-
firmations](#)

Further information

Siemens has decided to exit the Russian market (see here).

<https://press.siemens.com/global/en/pressrelease/siemens-wind-down-russian-business>

Siemens is working on the renewal of the current EAC certificates.

Please contact your local Siemens office on the status of validity of the EAC certification if you intend to import or offer to supply these products to an EAC relevant market (other than the sanctioned EAEU member states Russia or Belarus).

Information on the packaging

<https://support.industry.siemens.com/cs/ww/en/view/109813875>

Information- and Downloadcenter (Catalogs, Brochures,...)

<http://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=5TT5830-0>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/en/ps/5TT5830-0>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)


http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=5TT5830-0

CAx-Online-Generator

<http://www.siemens.com/cax>

Tender specifications

<http://www.siemens.com/specifications>



last modified:

11/3/2023 

